

PERMIT APPLICATION TO DRAIN OR PLACE TILE INTO ROAD RIGHT-OF-WAY

Name and Address of Applicant _____

Phone No. _____

A) Legal Description of land where work is proposed _____

B) Work is necessary because _____

C) Where will water drain? _____

Does it have adequate outlet _____

Will it affect down-stream landowner _____

D) County Road No Affected _____

How deep will tile be _____

What size tile _____

When will work be done _____

Type of work done (tile or ditch) _____

Area to be drained (acres) _____

E) By signing this application for permit the Applicant agrees to the following conditions:

1. Any tile outlet unless otherwise approved will be in the back-slope of the ditch.
2. The outlet pipe will be of 16 gauge galvanized corrugated steel (or heavier), reinforced concrete, heavy wall PVC (10" or less is schedule 40, larger than 10" is schedule 80 or equivalent). Tile or casing to be placed through the road shall be of equivalent approved material and extend from toe of inslope to toe of inslope.
3. All tile lines placed within the road right-of-way from approval of this permit shall be the owner's responsibility to maintain, assume responsibility for all liability thereof, and save the County and its agents from any and all claims arising from any future action or maintenance and construction of said drainage facility under this application permit. **SEE OTHER SIDE FOR ROAD CROSSING NOTES.**
4. The applicant shall provide and maintain an approved outlet marker.
5. All tile through the road will be placed at least 3 feet below the ditch ground level.
6. The drainage work shall not interfere with any existing utility facilities. The County reserves the right to remove or repair, with its own forces but at the expense of the applicant, any tile outlet which is not maintained or causes damage to adjacent right-of-way.
7. All other agency permits are the responsibility of the owners/contractors and this permit will not negate any other permit requirements including but not limited to NRCS, Soil and Water, DNR, COE, or Watershed.
8. The undersigned applicant hereby agrees to all terms and conditions of this permit.

Dated _____

Authorized Applicant _____

Attach a Drainage Sketch for project. If the tile outlet is on another person's property, the owner of where outlet is located is also required to sign.

Signature of property owner where outlet is located: _____

Highway Department Approval

Approval for above permit is approved for constructin for the calendar year with the following special provisions as hereby stated: _____

Dated _____ Authorized by: _____

TILE OR CASING CROSSING ROADWAY NOTES

- Tile or Casing used for road crossing is to be 16 gauge (or heavier) galvanized pipe, well casing pipe, reinforced concrete pipe, or heavy wall PVC (10" or smaller is Schedule 40 and larger than 10" is schedule 80)
- 3' below ditch grade when crossing roadway
- 8 feet or more from a roadway culvert
- Bituminous roads are to be bored.
- Top 4' of gravel road is to have "V" type excavation (with 2:1 or flatter side slopes) to reduce sharp edge drops with settlement.
- Trenches are to be compacted
- Top 1 foot of final road top should be good class 5 gravel
-

